

(REAR-LEFT)										
<u>AERODYNAMICS</u>										
WING ANGLE	34clicks	34clicks								
SPLITTERS	20clicks	21clicks								
ENGINE COOLING	4ducts	3ducts								
BRAKE COOLING	3ducts	4ducts								
<u>WHEELS</u>										
TIRE PRESSURE (RIGHT-FRONT)	22.5psi	22.8psi								
TIRE PRESSURE (LEFT-FRONT)	22.5psi	22.8psi								
TIRE PRESSURE (RIGHT-REAR)	23.9psi	23.9psi								
TIRE PRESSURE (LEFT-REAR)	23.9psi	23.9psi								
CAMBER (RIGHT-FRONT)	-3.5deg	-3.6deg								
CAMBER (LEFT-FRONT)	-3.5deg	-3.9deg								
CAMBER (RIGHT-REAR)	-2.0deg	-2.2deg								
CAMBER (LEFT-REAR)	-2.0deg	-2.2deg								
PACKERS (RIGHT-FRONT)	0.0in	0.2in								
PACKERS (LEFT-FRONT)	0.0in	0.2in								
PACKERS (RIGHT-REAR)	0.1in	0.3in								
PACKERS (LEFT-REAR)	0.1in	0.3in								
RIDE HEIGHT (RIGHT-FRONT)	1.7in	1.7in								
RIDE HEIGHT (LEFT-FRONT)	1.7in	1.7in								
RIDE HEIGHT (RIGHT-REAR)	1.9in	2.0in								
RIDE HEIGHT (LEFT-REAR)	1.9in	2.0in								
TOE-IN/OUT (FRONT)	-0.25deg	0.05deg								
TOE-IN/OUT REAR	-0.15deg	0.25deg								
CASTER (RIGHT)	8.6deg	10.3deg								
CASTER (LEFT)	8.6deg	10.3deg								
<u>GEARS</u>										
1 ST GEAR RATIO	9.423	9.692								
2 ND GEAR RATIO	6.816	7.292								
3 RD GEAR RATIO	5.568	6.079								

